

## MATTING AGENT

# Corium-Pro Matting Agent CU 175

Use as matting agent or flattening binder in Corium-Pro 2K PU Enamel system, applicable for 2K solid colors topcoat and clearcoat.

## APPLICATION

| Replace CU 170 with CU 175 in any ratio up to maximum 80% |                   |             | Mixing Ratio              |
|-----------------------------------------------------------|-------------------|-------------|---------------------------|
| Corium Tints                                              | <b>Semi Gloss</b> | <b>Matt</b> | <br>4 : 1 : 1             |
| CU 170                                                    | 50%               | 20%         |                           |
| CU 175                                                    | 50%               | Up to 80%   |                           |
| Clear Coating                                             | <b>Semi Gloss</b> | <b>Matt</b> | <br>4:1:5-10% / 2:1:5-10% |
| Corium Clearcoat                                          | 50%               | 30%         |                           |
| CM 075                                                    | 50%               | Up to 70%   |                           |

- For pastel colors a weight ratio of 20/80 (CU 170/ CU 175) is required.
- All other colors weight ratios with less than 80% of CU 175 are allowed to obtain semi gloss colors.

## REMARKS

- It is not possible to provide mixing ratios in connection to exact matt value.
- The influence of color, activator, application and drying method will differ the matt value.
- Darker colors (e.g black) always need less matting base to end up at a specific matting value then light colors ( e.g white).
- Thoroughly stirring of tintings, binder and matting base before and after adding activator required.

## PRODUCTS

**CM 075** Corium-Pro Matting Agent

